10

15

20

2.5

# METHOD OF PRODUCING COMPOST TEA PERCOLATOR AND APPARATUS THEREFOR

#### CROSS-REFERENCE TO RELATED APPLICATIONS

This application is based on, and claims the benefit of, Provisional application
No. 60/259,236, filed January 2, 2001.

# BACKGROUND OF THE INVENTION

## (1) Field of the Invention

This invention relates to the use of compost tea. Compost tea is a solution used to condition soil for healthy growth of plants. Compost tea has been recognized as a product that can reduce or eliminate the use of pesticides and synthetic fertilizers. The positive values of compost tea have been established through University studies and practical experience. The Compost Tea Percolator is an apparatus to culture compost tea from composted organic matter to be applied to plants and their soils to provide nutrients and desirable microorganisms. The Compost Tea Percolator provides an air powered method of extracting compost tea from solid compost into a liquid, sprayable form.

#### (2) Description of Related Art

Compost tea has typically been prepared by brewing compost in water. A variety of apparatus and techniques are disclosed in the "Compost Tea Brewing Manual."

Other teachings pertinent to compost tea are found in Finn, U.S. Patent

5.583,045, which relates to a compost curing and odor control system; Kerouac, U.S.

Patent 6,352,855, which describes an in-vessel composting process and apparatus; and

Alms et al. U.S. Patent Publication 2002/0164781. Alms et al. discloses a compost
tea system including a perforate compost basket and at least one bubble generator.

However, a continuing need exists for improved means for the production of compost

## SUMMARY OF THE INVENTION

The instant invention provides a method and apparatus for the efficient
note instant invention provides a method and apparatus for the efficient

Specifically, the present invention provides an apparatus for producing compost tea comprising:

tea that minimizes damage to the microorganisms in the tea.

	a tank of aqueous solution;
	an extraction basket positioned over the tank so permit flow-through from the
	basket into the tank;
	a fluid conduit having a first end submerged at the bottom end of the tank, an
5	a second end positioned over the extraction basket, and
	a compressed air supply operatively connected to the bottom portion of the
	conduit to force the aqueous solution up through the conduit.
	The instant invention further provides a method for producing compost tea
	comprising:
10	placing compost in an extraction basket;
	positioning the extraction basket over a tank to permit flow-through from the
	basket into the tank;
	introducing an aqueous solution into the tank;
	positioning a fluid conduit having first and second ends, the fluid conduit
15	having a first end submerged at the bottom of the tank, and a second end positioned t
٠.	impinge on the compost in the extraction, and
	supplying compressed air to the bottom portion of the conduit
	to force aqueous solution up the tube and into the extraction basket.
20	BRIEF DESCRIPTION OF THE DRAWING
	The Figure is a schematic, cross-sectional illustration of one embodiment of
	the present invention.
	DETAILED DESCRIPTION OF THE INVENTION
	The apparatus used in the present invention for producing compost tea comprises:
25	1. A reservoir/collection tank,
	2. A percolator tube in the tank to circulate solution over,
	3. A perforated basket containing compost.
	The percolator tube bubbles-water-from inside the tank over the perforated basket
	containing the compost. This acrified water leaches through the compost, carrying
30	with it nutrients and microorganisms from the compost into the solution in the tank
	below-

5

10

15

20

25

30

This process of percolation creates a circulation of water up the tube, over and through the perforated backet and compost, and back into the reservoir tank, creating an acrobic compost tea solution.

The present invention can be more fully understood by reference to the Figure, in which tank 1 contains water or aqueous solution 2. Extraction basket 3 is positioned above the tank. The basket contains compost 4. Fluid conduit 5 has first end 5A submerged at the bottom end of the tank, and a second end 5B positioned over the extraction basket. Compressed air supply 6 is operatively connected by connecting means 7 to the bottom portion of the conduit. The compressed air supply is preferably provided with a throttle, not shown. In operation of this apparatus, the compressed air forces the solution in the tank up through the conduit, circulating and aerating the solution, and empties it over the basket of compost, leaching the nutrients and microorganisms from the compost, forming or enriching a compost tea. The basket is positioned above the tank so that the enriched compost tea collects in the tank below.

The compost tea formed according to the present invention can be applied to plants and their soils to provide nutrients and desirable microorganisms. The present method and apparatus provides an air powered method of extracting compost tea from solid compost into a liquid, sprayable form. The method and apparatus of the present invention allows a grower to leach composted organic matter, extracting the nutrients and microbes that exist in the compost into a liquid solution. The circulation of the compost tea according to the present invention permits the microorganisms to be cultured and increase the beneficial microbes and their by-products. This solution can be injected into an irrigation system or sprayed on with a conventional sprayer.

The instant process and apparatus, using air to power circulation for extraction and culturing of the compost tea, provides the additional advantage of minimal mechanical damage to microbes in the solution.

The leached solution from the compost can be further enhanced by adding nutrients such as sugar to the culture tank solution, to increase the microbial population. The compost is the source of beneficial microbes and the present apparatus extracts, collects, and cultures compost tea. This tea contains and extracts the desired beneficial organisms and their by-products.